



SIFCO ASC
5708 E. Schaaf Road Independence
Ohio 44131
Phone: 1.800.765.4131
Fax: 1.216.524.6331
Email: info@sifcoasc.com
Website: www.sifcoasc.com

Item # 80205615, Copper Alkaline, High-Speed



[Specifications](#) | [Physical Properties](#) | [Microhardness](#) | [Shipping Information](#)

Specifications

Family	Copper
Code	2056
Common Use	Salvage, Carburizing stop-off.
Shelf Life	4 years, when properly stored in room temperature (20-25°C/68-77°F) and away from light
Taber Wear (mg/1000 cycles)	tbd
Deposit Structure	Dense
Ductility	Fair
Purity of Deposit	>99 %

Maximum Thickness One Layer	375 µm 0.015 in
Metal Content	80 g/L
pH	10
Type	Ferrous & Non Ferrous
Appearance As Plated	Clean copper colored, simi-bright to bright
Specification(s) Met	AMS 2451/6

Physical Properties

Size	1 liter
Container Type	Plastic Bottle (IP1)
Container OD	3.1 in
Container Height	9.5 in
Net Weight	3 lb.
Container Size Note	Additional container sizes of this item are also available.

Microhardness

Microhardness Knoop	219
Microhardness Brinell	178
Microhardness Vickers	188

Shipping Information

**Dangerous Goods
Classification/Proper Shipping
Name**UN3267, Corrosive Liquid, Basic, Organic,
n.o.s. (Ethylenediamine), Class 8, PG II**Ground Shipment**

No Restriction

Air Shipment

Eligible

Ocean Shipment

Ship separate from acid